

How to Understand the Cell by Breaking It: Network Analysis of Gene Perturbation Screens

Florian Markowetz*

Cancer Research UK Cambridge Research Institute, Cambridge, United Kingdom



Introduction

Functional genomics has demonstrated considerable success in inferring the inner working of a cell through analysis of its response to various perturbations. In recent years several technological advances have pushed gene perturbation screens to the forefront of functional genomics. Most importantly, modern technologies make it possible to probe gene function on a genome-wide scale in many model organisms and human. For example, large collections of knock-out mutants play a prominent role in the study of *Saccharomyces cerevisiae* [1], and RNA interference (RNAi) has become a widely used high-throughput method to knock-down target genes in a wide range of organisms, including *Drosophila melanogaster*, *Caenorhabditis elegans*, and human [2–4].

Another major advance is the development of rich phenotypic descriptions by imaging or measuring molecular features globally. Observed phenotypes can reveal which genes are essential for an organism, or work in a particular pathway, or have a specific cellular function. Combining high-throughput screening techniques with rich phenotypes enables researchers to observe detailed reactions to experimental perturbations on a genome-wide scale. This makes gene perturbation screens one of the most promising tools in functional genomics.

Advances in the design and analysis of gene perturbation screens may have an immediate impact on many areas of biological and medical research. New screening and phenotyping techniques often directly translate into new insights in gene and protein functions. Results of perturbation screens can also reveal unexploited areas of potential therapeutic intervention. For example, a recent RNAi screen showed that some of the most critical protein kinases for the proliferation

and survival of cancer cell lines are also the least studied [5].

A goal becoming more and more prominent in both experimental as well as computational research is to leverage gene perturbation screens to the identification of molecular interactions, cellular pathways, and regulatory mechanisms. Research focus is shifting from understanding the phenotypes of single proteins to understanding how proteins fulfill their function, what other proteins they interact with, and where they act in a pathway. Novel ideas on how to use perturbation screens to uncover cellular wiring diagrams can lead to a better understanding of how cellular networks are deregulated in diseases like cancer. This knowledge is indispensable for finding new drug targets to attack the drivers of a disease and not only the symptoms.

This review surveys the current state-of-the-art in analyzing single gene perturbation screens from a network point of view. We describe approaches to make the step from the parts list to the wiring diagram by using phenotypes for network inference and integrating them with complementary data sources.

Phenotypes

A phenotype can be any observable characteristic of an organism. Analysis strategies strongly depend on how rich and informative phenotype descriptors are. We will call phenotypes resulting from a single reporter (or a small number of reporters) low-dimensional phenotypes and the genes showing significant results hits [6,7]. Examples of such low-dimensional phenotypes are cell viability versus cell death [1], growth rates [8], or the

activity of reporter constructs, e.g., a luciferase, downstream of a pathway of interest [9]. Low-dimensional phenotyping screens can identify candidate genes on a genome-wide scale and are often used as a first step for follow-up analysis. We will discuss methods to functionally interpret hits from low-dimensional phenotyping screens and to place them in the context of cellular networks in the first part of this review.

The second part will be devoted to high-dimensional phenotyping screens, which evaluate a large number of cellular features at the same time. Observing system-wide changes promises key insights into cellular mechanisms and pathways that can not be supplied by low-dimensional screens. For example, high-dimensional phenotypes can include changes in cell morphology [10–13], or growth rates under a wide range of conditions [14], or transcriptional changes measured on microarrays [15–18], or changes in the metabolome and proteome [19] measured by mass spectrometry [20] or flow cytometry [21,22]. Morphological and growth phenotypes can be obtained on a genome-wide scale [13,14], while transcriptional and proteomic phenotypes are often restricted to individual pathways or processes [16,17,21].

The distinction between low- and high-dimensional phenotypes may sound technical, but it is crucial for choosing potential analysis methods. The central difference is that high-dimensional phenotypes allow one to compute correlations and other similarity measures, which are not applicable for low-dimensional phenotypes. Another important distinction is between static phenotypes, providing a

Citation: Markowetz F (2010) How to Understand the Cell by Breaking It: Network Analysis of Gene Perturbation Screens. *PLoS Comput Biol* 6(2): e1000655. doi:10.1371/journal.pcbi.1000655

Editor: Fran Lewitter, Whitehead Institute, United States of America

Published: February 26, 2010

Copyright: © 2010 Florian Markowetz. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Funding: FM's research is funded by Cancer Research UK. No specific funding was received for this article.

Competing Interests: The author has declared that no competing interests exist.

* E-mail: florian.markowetz@cancer.org.uk

“snapshot” of a cell’s reaction to a gene perturbation, and dynamic phenotypes showing a cell’s reaction over time. We expect more and more studies in the future to produce dynamic output and in the following note explicitly which methods can be applied to dynamic phenotypes. For the biological interpretation of screening results it is very important to keep in mind which level of “cellular granularity” a phenotype describes: growth rates or cell morphologies are much more “high-level” features of the cell than gene or protein expressions. As soon as more studies produce dynamic phenotypes on many different cellular levels, integrative analysis of interconnected phenotypes [23] will become more important. In the following, however, we concentrate on the current state-of-the art, which almost always uses a single type of readout in a perturbation screen.

Preprocessing Pipeline

In this review we focus on single gene perturbations by knockouts [1] or RNAi [4] that allow targeting of individual genes or combinations of genes. Before network analysis, the raw data needs to pass an initial analysis and quality control pipeline specific to the perturbation and phenotyping technologies used. Low-dimensional

screens are mostly performed in multiple-well-plates and a typical analysis pipeline [4] includes data preprocessing, removal of spatial biases per plate, normalization between plates, and finally detection of significant hits [6,7,24]. In vertebrates, genes need to be targeted with multiple siRNAs to ensure effective down-regulation [4], and the multiple phenotypes per gene can afterwards be integrated into a statistical score [25]. High-dimensional morphological screens depend on computational analysis like image segmentation [26,27] and phenotype discovery [28–30] for rapid and consistent phenotyping. Molecular high-dimensional phenotypes need preprocessing depending on their platform and different approaches exist, e.g., for flow-cytometry data [31] or microarrays [32].

From Phenotypes to Cellular Networks

The phenotypes we have discussed above allow only an indirect view on how different genes in the same process interact to achieve a particular phenotype. Cell morphology or sensitivity to stresses, for example, are global features of the cell and hard to relate directly to how individual genes contribute to them (see Figure 1A). Gene expression phenotypes

show transcriptional changes in the genes downstream of a perturbed pathway but offer only an indirect view of pathway structure because of the high number of nontranscriptional regulatory events like protein modifications [33]. For example, different protein activation states by phosphorylation may not be visible by changes in mRNA concentrations (see Figure 1B).

This gap between observed phenotypes and underlying cellular networks is the main problem in the analysis of perturbation screens and applies to both low- and high-dimensional screens. The goal of computational analysis is to bridge this gap by inferring gene function and recovering pathways and mechanisms from observed phenotypes. The following methods address the challenge in different ways, mostly by integrating the perturbation effects and phenotypes with additional sources of information like collections of functionally related gene sets or protein-interaction networks.

Network Analysis of Low-Dimensional Phenotypes

Global Overview by Enrichment Analysis

A simple way to link phenotypes to gene function is to test whether pathways or functional groups of genes (e.g., defined by




Figure 1. Cellular networks underlying observable phenotypes. (A) Phenotypes are the response of the cell to external signals mediated by cellular networks and pathways. The goal of computation is to reconstruct these networks from the observed phenotypes. (B) Global molecular phenotypes like gene expression allow a view inside the cell but also have limitations. This is exemplified here in a cartoon pathway adapted from [61] showing a cascade of five genes/proteins (1–5). Proteins 1–3 form a kinase cascade, 4 is a transcription factor acting on 5. Up-regulation of 1 starts information flow in the cascade and results in 5 being turned on. In gene expression data this is visible as a correlation between 1 and 5 (represented as an undirected edge in the model). Experimentally perturbing a gene, say 3, removes the corresponding protein from the cascade, breaks the information flow, and results in an expression change at 5 (represented as an arrow in the model). However, the different phosphorylation and activation states of proteins 2–4 will most probably not be visible as changes in gene expression. Thus, because of the pathway mostly acting on the protein level most parts of the cascade (dashed arrows in the model) can not be inferred from gene expression data directly.
doi:10.1371/journal.pcbi.1000655.g001




Figure 2. Functional annotation of hits by enrichment analysis. (A) In the first approach [38] a cutoff is applied to select the hits with strongest phenotypes. A hyper-geometric test then evaluates if the overlap between the hits and a given gene set is surprisingly large (or small) compared to the overlap with a random set. (B) A second approach [35] does not need a cutoff. It maps the gene set (black bars) onto the observed phenotypes and quantifies if there is a significant trend or if the genes are spread out uniformly over the whole range. doi:10.1371/journal.pcbi.1000655.g002

Gene Ontology terms [34] or MSigDB [35]) are enriched in the list of hits. Most methods use a hypergeometric test statistic (see Figure 2A) and many can be used online [36–38] or as Bioconductor packages [39]. An alternative global functional annotation method tests whether functional groups show a trend towards especially strong or weak phenotypes without using a cutoff to define hits (see Figure 2B) [35]. Enrichment analysis can also be very useful to analyze high-dimensional phenotypes, for example when functionally annotating the results of a clustering method.

Enrichment analysis results in a list of p -values describing how significantly each gene set was represented in the hits. Enrichment analysis reduces complexity and improves interpretability of results by moving from single genes to functionally related gene sets. This type of analysis is often called “unbiased” and “hypothesis-free” and is ideal for a comprehensive first overview. However, enrichment analysis loses its value for complexity reduction if the number of gene sets becomes too big. Also, overlap and dependencies between gene lists that could potentially bias the results have so far only been addressed for the gene ontology (GO) graph [38,39] but not for more general collections of gene lists like MSigDB [35].

Good data analysis asks specific questions. A hypothesis-free method can only be the very first starting point for a deeper exploration of the data. For example, all enrichment methods rely on known gene sets and cannot uncover new pathways or components. Enrichment methods treat pathways as bags of unconnected genes without considering connections within and between pathways. Thus, enrichment methods can only deliver a very crude picture of the cell. In the following we will discuss approaches to overcome some of the limitations of enrichment analysis by integrating the observed phenotypes with complementary sources of information.

Mapping Phenotypes to Networks

Another valuable source of information to interpret RNAi hits are gene and protein networks obtained either experimentally [40,41] or computationally by literature mining [42], or integrating heterogeneous genomic data [43–45]. All computational networks are available online on supplementary Web pages and the experimental networks can be obtained from databases like STRING [46] or BioGRID [47].

Using these complementary data sources can improve hit identification [48–50] and even provide a more refined view of the pathways the hits contribute to. One strategy is to search for subnetworks containing a surprisingly large number of hits (see Figure 3A). While this strategy is already useful when evaluating interesting subnetworks by eye [51,52], its true power comes from the availability of efficient search algorithms to find subnetworks enriched for RNAi hits and assess their significance [53–57]. An additional application of mapping hits to a network is that known phenotypes can be used to predict phenotypes of genes not included in the screen, e.g., by assuming that a gene connected to many hits should also show a strong phenotype [51]. The success of all network-mapping strategies strongly depends on the quality and coverage of both the screen and the linkage in the network.

Gene Prioritization

Other approaches complement genomic data with biological prior knowledge showing how “interesting” hits look. Gene prioritization [49,58] ranks genes according to how promising they would be for follow-up studies. Because it uses prior knowledge to fine-tune the algorithm, gene prioritization can be more focussed than a global uninformed search for enriched subnetworks.

Network Analysis of High-Dimensional Phenotypes

Global Overview by Clustering and Ranking

Most state-of-the-art analysis techniques rely on a “guilt-by-association” paradigm: genes with similar phenotypes will most probably have a similar biological function. This explains the prevalence of clustering techniques in analyzing high-dimensional phenotyping screens [10,13,14,17]. Clustering is a convenient first analysis and visualization step that can highlight strong trends and patterns in the data and can thus yield a global first impression of functional units. Another analysis strategy relying on guilt-by-association is to rank genes by their phenotypic similarity compared to a gene of interest [11]. Clustering and ranking can be combined with enrichment analysis (as discussed above) for functional interpretation.

Graph Methods Linking Causes to Effects

Another useful data visualization especially for transcriptional phenotypes is to build a directed (not necessarily acyclic) graph by drawing an arrow between two genes if perturbing one results in a significant expression change at the other [59]. This graph representation can be then used as a starting point for further analysis, for example by using graph-theoretic methods of transitive reduction [60] to distinguish between direct and indirect effects of a perturbation [61,62].

Probabilistic Graphical Models

Most approaches to infer pathway structure from experimental data rely on probabilistic graphical models. For low-dimensional phenotypes they often suffer from nonuniqueness and unidentifiability issues




Figure 3. Extracting rich subnetworks. Different patterns in the graph point to a common cellular mechanism causing a phenotype: (A) hits in a low-dimensional screen (red nodes) clustering in highly connected subnetworks, and (B) high correlation between high-dimensional phenotypes of target genes connected in the background network. The black graph represents any type of background network. doi:10.1371/journal.pcbi.1000655.g003

[63], but can be applied very successfully in high-dimensional settings. A prominent approach are (static or dynamic) Bayesian networks, which describe probabilistically how a gene is controlled by its regulators [64,65]. To model experimental perturbations most approaches rely on the concept of “ideal interventions” [66], which deterministically fix a target gene to a particular state (e.g., “0” for a gene knockout). Ideal interventions were applied in Bayesian networks [21,67,68], factor graphs [69], and dependency networks [70]. In simulations [71,72] and on real data [21,71] it was found that interventions are critical for effective inference.

The model of ideal interventions contains a number of idealizations (hence the name), most importantly that manipulations only affect single genes and that perturbation strength can be controlled deterministically. The first assumption may not be true if there are off-target or compensatory effects involving other genes. The second assumption may also not hold true in realistic biological scenarios; in particular for RNAi screens where experimentalists often lack knowledge about the exact knock-down efficiency. Probabilistic generalizations of ideal interventions can be used to cope with this uncertainty [73].

Probabilistic Data Integration

High-dimensional phenotypic profiles can be mapped to given graphs and

networks by finding subgraphs that are connected in the background network and at the same time show high similarity of phenotypic profiles. These approaches already exist for mapping gene expression data onto protein interaction networks [74] and the same algorithms could easily be applied to any other kind of high-dimensional phenotypic profiles (see Figure 3B). Other approaches use data integration to construct potential pathways from protein interactions and transcription factor binding data to relate perturbed genes to the observed downstream effects [75–77].

Multiple Input - Multiple Output (MIMO) Models

Many of the approaches discussed so far—like clustering or graphical models—can be applied to both static “snapshots” as well as dynamic time-course measurements. Another approach to model specifically the dynamics of networks comes from a branch of control theory called “systems identification” [78] and uses so called Multiple Input - Multiple Output (MIMO) models. MIMO models represent the evolution of a perturbed cell over time by linear differential equations [79–83] and can represent nonlinear effects by transfer functions [84]. The models can be inferred by regression techniques in the linear case [80] or Monte Carlo stochastic search in the nonlinear case [84]. The framework is very flexible and can incor-

porate single as well as combinatorial perturbations.

Nested Effects Models (NEMs)

One of the key problems in analyzing perturbation screens is that the observed phenotypes are downstream of the perturbed pathway and may not show the direct influence of one pathway component on another. A class of models explicitly addressing this problem are Nested Effects Models (NEMs) [33,85]. They reconstruct pathway structure from subset relations on the basis of the following rationale: Perturbing some genes may have an influence on a global process, while perturbing others affects subprocesses of it. Imagine, for example, a signaling pathway activating several transcription factors. Blocking the entire pathway will most probably affect all targets of all transcription factors, while perturbing a single transcription factor will only affect its direct targets, which are a subset of the phenotype obtained by blocking the complete pathway. Given high-dimensional phenotypes showing a subset structure, NEMs find the most likely pathway topology explaining the data. They differ from other statistical approaches like Bayesian networks by encoding subset relations instead of correlations or other similarity measures. The theory of NEMs has been applied and extended in several studies [86–89]. An implementation is

available as an R/Bioconductor package [90]. Other extensions to the NEM framework distinguish between activating and inhibiting regulation [91] or include dynamic information from time-series measurements [92].

Discussion and Outlook

In this review we have discussed two main approaches to describe the reaction of a cell to an experimental gene perturbation: low-dimensional phenotypes measure individual reporters for cell viability or pathway activation, while high-dimensional phenotypes show global effects on cell morphology, transcriptome, or proteome. Table 1 lists examples of freely

available software implementing some of these approaches. All of them can be directly applied to gene perturbation screens, even though some of them have been introduced in different contexts. While this review has focused on single gene knock-outs and knock-downs, similar approaches can be applied to gene over-expression screens [22,83,93,94], drug treatment [84], environmental stresses changing many genes [95,96], or even natural genetic variation [97].

Predicting Phenotypes from Metabolic Networks

The focus of this review is on functionally annotating hits in a network context

and reconstructing networks from high-dimensional phenotypes. In a complementary direction of research, genome-wide reconstructions of metabolic networks [98,99] are used to predict effects of gene perturbations. Instead of predicting networks from phenotypes, these approaches predict phenotypes from networks. For example, in *S. cerevisiae* and *Escherichia coli* computational models very accurately predict fitness effects of gene knock-outs [100,101] as well as compensatory rescue effects [102]. However, recent developments in metabolic network modeling have led to linear programming algorithms to extract relevant context-specific subnetworks of activity from a genome-wide network [103,104]. In the same way

Table 1. Examples of software for network analysis of gene perturbation screens.

Method Name	Description with Reference	Web Page
General data analysis and network visualization		
Bioconductor	Software environment for the analysis of genomic data featuring hundreds of contributed packages [112]	www.bioconductor.org
Cytoscape	Software platform for visualizing molecular interaction networks and integrating them with other data types [113]	www.cytoscape.org
Setting up data for network analysis		
cellHTS2	End-to-end analysis of cell-based screens: from raw intensity readings to the annotated hit list [6]	www.bioconductor.org
RNAither	Analysis of cell-based RNAi screens, includes quality assessment and customizable normalization [7]	www.bioconductor.org
EImage	Cell image analysis and feature extraction [27]	www.bioconductor.org
CellProfiler	Cell image analysis and feature extraction [26]	www.cellprofiler.org
Enrichment analysis		
DAVID	Tools for data annotation, visualization, and integration [36]	david.abcc.ncifcrf.gov
GOLEM	Enrichment analysis and visualization of GO graph (Figure 2A) [37]	function.princeton.edu/GOLEM
Ontologizer	Enrichment analysis with dependencies between GO nodes (Figure 2A) [38]	compbio.charite.de/ontologizer
GSEA	Gene set enrichment analysis (Figure 2B) [35]	www.broadinstitute.org/gsea/
Clustering and ranking		
Cell Profiler Analyst	Interactive exploration and analysis of multidimensional data from image-based experiments [28]	www.cellprofiler.org
PhenoBlast	Ranking of phenotype profiles according to similarity with given profile [11]	www.rnai.org
Endeavour	Prioritizes hits for further analysis [58]	www.esat.kuleuven.be/endeavour/
Finding rich subnetworks		
heinz	Finds optimal subnetworks rich in hits (Figure 3A) [55]	www.planet-lisa.net
jActiveModules	Finds heuristic subnetworks rich in hits (Figure 3A) [53]	www.cytoscape.org
Matisse	Finds subnetworks with high phenotypic similarity (Figure 3B) [74]	acgt.cs.tau.ac.il/matisse/
Network reconstruction		
nem	NEMs reconstruct pathway features from subset relations in high-dim phenotypes [90]	www.bioconductor.org
copia	Copia uses MIMO models to reconstruct networks from perturbations [84]	cbio.mskcc.org/copia/

This list is far from comprehensive, but hopefully provides a starting point even for noncoding experimentalists.
doi:10.1371/journal.pcbi.1000655.t001

as the probabilistic data integration methods discussed above, e.g., [74], these algorithms could be used in the future to find metabolic subnetworks active under certain gene perturbations.

From Single to Combinatorial Perturbations

While single gene perturbation screens have been immensely successful in extending our knowledge of pathway components and interactions, an important limitation can be caused by compensatory effects, genetic buffering, and redundancy of cellular mechanisms and pathways [105,106]. This limitation can only be overcome by perturbing several genes at the same time. The number of possible combinations grows rapidly and thus current approaches are mainly limited

to perturbing pairs of genes and observing low-dimensional phenotypes like fitness estimates [107]. The analysis of combinatorial perturbations is outside the scope of this review.

The End of the Screen is the Beginning of the Experiment

Global phenotyping and pathway screening can be combined in the same study. For example, a first genome-wide screen identifies key genes representative for pathways and cellular mechanisms involved in the phenotype. In a second step the hits of the first screen could be assayed for high-dimensional molecular phenotypes to infer a pathway diagram using NEMs or other statistical approaches.

In a further step preliminary pathway models could be used to plan an additional

round of experimentation. Different modeling frameworks propose future experiments to most effectively refine a pathway hypothesis, e.g., Bayesian networks [108,109], physical network models [76], logical models [110], Boolean networks [111], and dynamical modeling [79].

Iteratively integrating experimentation and computation may lead to a virtuous circle and is one of the most promising approaches to refine our understanding of the inner working of the cell.

Acknowledgments

I thank the organizers of the ISMB 2009 tutorial sessions for the opportunity to present this material. Yinyin Yuan, Roland Schwarz, and Gregoire Pau provided helpful comments on drafts of the manuscript.

References

- Winzler EA, Shoemaker DD, Astromoff A, Liang H, Anderson K, et al. (1999) Functional characterization of the *S. cerevisiae* genome by gene deletion and parallel analysis. *Science* 285: 901–906.
- Fuchs F, Boutros M (2006) Cellular phenotyping by RNAi. *Brief Funct Genomic Proteomic* 5: 52–56.
- Moffat J, Sabatini D (2006) Building mammalian signalling pathways with RNAi screens. *Nat Rev Mol Cell Biol* 7: 177–187.
- Boutros M, Ahringer J (2008) The art and design of genetic screens: RNA interference. *Nat Rev Genet* 9: 554–566.
- Luo B, Cheung H, Subramanian A, Sharifnia T, Okamoto M, et al. (2008) Highly parallel identification of essential genes in cancer cells. *Proc Natl Acad Sci U S A* 105: 20380–20385.
- Boutros M, Brás LP, Huber W (2006) Analysis of cell-based RNAi screens. *Genome Biol* 7: R66.
- Rieber N, Knapp B, Eils R, Kaderali L (2009) RNAither, an automated pipeline for the statistical analysis of high-throughput RNAi screens. *Bioinformatics* 25: 678–679.
- Giaever G, Chu AM, Ni L, Connelly C, Riles L, et al. (2002) Functional profiling of the *Saccharomyces cerevisiae* genome. *Nature* 418: 387–391.
- Müller P, Kutenkeuler D, Gesellchen V, Zeidler MP, Boutros M (2005) Identification of JAK/STAT signalling components by genome-wide RNA interference. *Nature* 436: 871–875.
- Pearlman ZE, Slack MD, Feng Y, Mitchison TJ, Wu LF, et al. (2004) Multidimensional drug profiling by automated microscopy. *Science* 306: 1194–1198.
- Gunsalus KC, Yueh WC, MacMenamin P, Piano F (2004) RNAiDB and PhenoBlast: web tools for genome-wide phenotypic mapping projects. *Nucleic Acids Res* 32: D406–10.
- Neumann B, Held M, Liebel U, Erlle H, Rogers P, et al. (2006) High-throughput RNAi screening by time-lapse imaging of live human cells. *Nat Methods* 3: 385–390.
- Bakal C, Aach J, Church G, Perrimon N (2007) Quantitative morphological signatures define local signaling networks regulating cell morphology. *Science* 316: 1753–1756.
- Brown JA, Sherlock G, Myers CL, Burrows NM, Deng C, et al. (2006) Global analysis of gene function in yeast by quantitative phenotypic profiling. *Mol Syst Biol* 2: 2006.0001.
- Hughes TR, Marton MJ, Jones AR, Roberts CJ, Stoughton R, et al. (2000) Functional discovery via a compendium of expression profiles. *Cell* 102: 109–126.
- Boutros M, Agaisse H, Perrimon N (2002) Sequential activation of signaling pathways during innate immune responses in *Drosophila*. *Dev Cell* 3: 711–722.
- Ivanova N, Dobrin R, Lu R, Kotenko I, Levorse J, et al. (2006) Dissecting self-renewal in stem cells with RNA interference. *Nature* 442: 533–533.
- Amit I, Garber M, Chevrier N, Leite AP, Donner Y, et al. (2009) Unbiased reconstruction of a mammalian transcriptional network mediating pathogen responses. *Science* 326: 257–263.
- Ideker T, Thorsson V, Ranish J, Christmas R, Buhler J, et al. (2001) Integrated genomic and proteomic analyses of a systematically perturbed metabolic network. *Science* 292: 929–934.
- Gstaiger M, Aebersold R (2009) Applying mass spectrometry-based proteomics to genetics, genomics and network biology. *Nat Rev Genet* 10: 617–627.
- Sachs K, Perez O, Pe'er D, Lauffenburger DA, Nolan GP (2005) Causal protein-signaling networks derived from multiparameter single-cell data. *Science* 308: 523–529.
- Niu W, Li Z, Zhan W, Iyer VR, Marcotte EM (2008) Mechanisms of cell cycle control revealed by a systematic and quantitative overexpression screen in *S. cerevisiae*. *PLoS Genetics* 4: e1000120. doi:10.1371/journal.pgen.1000120.
- Lu R, Markowitz F, Unwin R, Leck J, Airolidi E, et al. (2009) Systems-level dynamic analyses of fate change in murine embryonic stem cells. *Nature* 462: 358–362.
- Birmingham A, Selfors L, Forster T, Wrobel D, Kennedy C, et al. (2009) Statistical methods for analysis of high-throughput RNA interference screens. *Nat Methods* 6: 569–575.
- König R, Chiang Cy, Tu B, Yan SF, DeJesus P, et al. (2007) A probability-based approach for the analysis of large-scale RNAi screens. *Nat Methods* 4: 847–849.
- Carpenter AE, Jones TR, Lamprecht MR, Clarke C, Kang IH, et al. (2006) CellProfiler: image analysis software for identifying and quantifying cell phenotypes. *Genome Biol* 7: R100.
- Skyar O, Pau G, Smith M, Huber W (2008) EBIImage: image processing and image analysis toolkit for R. Available: <http://www.bioconductor.org>.
- Jones TR, Carpenter AE, Lamprecht MR, Moffat J, Silver SJ, et al. (2009) Scoring diverse cellular morphologies in image-based screens with iterative feedback and machine learning. *Proc Natl Acad Sci U S A* 106: 1826–1831.
- Yin Z, Zhou X, Bakal C, Li F, Sun Y, et al. (2008) Using iterative cluster merging with improved gap statistics to perform online phenotype discovery in the context of high-throughput RNAi screens. *BMC Bioinformatics* 9: 264.
- Wang J, Zhou X, Bradley PL, Chang SF, Perrimon N, et al. (2008) Cellular phenotype recognition for high-content RNA interference genome-wide screening. *J Biomol Screen* 13: 29–39.
- Hahne F, Arlt D, Sauermaun M, Majety M, Poustka A, et al. (2006) Statistical methods and software for the analysis of high throughput reverse genetic assays using flow cytometry readouts. *Genome Biol* 7: R77.
- Smyth GK (2005) Limma: linear models for microarray data. Gentleman R, Carey V, Dudoit S, R Irizarry WH, eds. *Bioinformatics and computational biology solutions using R and bioconductor*. New York: Springer. pp 397–420.
- Markowitz F, Bloch J, Spang R (2005) Non-transcriptional pathway features reconstructed from secondary effects of RNA interference. *Bioinformatics* 21: 4026–4032.
- Ashburner M, Ball CA, Blake JA, Botstein D, Butler H, et al. (2000) Gene ontology: tool for the unification of biology. The gene ontology consortium. *Nat Genet* 25: 25–29.
- Subramanian A, Tamayo P, Mootha VK, Mukherjee S, Ebert BL, et al. (2005) Gene set enrichment analysis: a knowledge-based approach for interpreting genome-wide expression profiles. *Proc Natl Acad Sci U S A* 102: 15545–15550.
- Huang DW, Sherman BT, Lempicki RA (2009) Systematic and integrative analysis of large gene lists using david bioinformatics resources. *Nat Protoc* 4: 44–57.
- Sealfon RSG, Hibbs MA, Huttenhower C, Myers CL, Troyanskaya OG (2006) GOLEM: an interactive graph-based gene-ontology navigation and analysis tool. *BMC Bioinformatics* 7: 443.
- Bauer S, Grossmann S, Vingron M, Robinson PN (2008) Ontologizer 2.0—a multi-functional tool for GO term enrichment

- analysis and data exploration. *Bioinformatics* 24: 1650–1651.
39. Alexa A, Rahnenführer J, Lengauer T (2006) Improved scoring of functional groups from gene expression data by decorrelating GO graph structure. *Bioinformatics* 22: 1600–1607.
 40. Bork P, Jensen LJ, von Mering C, Ramani AK, Lee I, et al. (2004) Protein interaction networks from yeast to human. *Curr Opin Struct Biol* 14: 292–299.
 41. Stelzl U, Worm U, Lalowski M, Haenig C, Brembeck FH, et al. (2005) A human protein-protein interaction network: a resource for annotating the proteome. *Cell* 122: 957–968.
 42. Ma'ayan A, Jenkins SL, Neves S, Hasseldine A, Grace E, et al. (2005) Formation of regulatory patterns during signal propagation in a mammalian cellular network. *Science* 309: 1078–1083.
 43. Lee I, Date SV, Adai AT, Marcotte EM (2004) A probabilistic functional network of yeast genes. *Science* 306: 1555–1558.
 44. Myers CL, Robson D, Wible A, Hibbs MA, Chiriac C, et al. (2005) Discovery of biological networks from diverse functional genomic data. *Genome Biol* 6: R114.
 45. Guan Y, Myers CL, Lu R, Lemischka IR, Bult CJ, et al. (2008) A genomewide functional network for the laboratory mouse. *PLoS Comput Biol* 4: e1000165. doi:10.1371/journal.pcbi.1000165.
 46. Jensen IJ, Kuhn M, Stark M, Chaffron S, Creevey C, et al. (2009) String 8-a global view on proteins and their functional interactions in 630 organisms. *Nucleic Acids Res* 37: D412–D416.
 47. Breitkreutz BJ, Stark C, Reguly T, Boucher L, Breitkreutz A, et al. (2008) The BioGRID interaction database: 2008 update. *Nucleic Acids Res* 36: D637–D640.
 48. Kaplow I, Singh R, Friedman A, Bakal C, Perrimon N, et al. (2009) RNAiCut: automated detection of significant genes from functional genomic screens. *Nat Methods* 6: 476–477.
 49. Wang L, Tu Z, Sun F (2009) A network-based integrative approach to prioritize reliable hits from multiple genome-wide RNAi screens in *Drosophila*. *BMC Genomics* 10: 220.
 50. Berndt JD, Biechele TL, Moon RT, Major MB (2009) Integrative analysis of genome-wide RNA interference screens. *Sci Signal* 2: pt4.
 51. Lee I, Lehner B, Crombie C, Wong W, Fraser A, et al. (2008) A single gene network accurately predicts phenotypic effects of gene perturbation in *Caenorhabditis elegans*. *Nat Genet* 40: 181–188.
 52. Krishnan M, Ng A, Sukumaran B, Gilfoy F, Uchil P, et al. (2008) RNA interference screen for human genes associated with west Nile virus infection. *Nature* 455: 242–245.
 53. Ideker T, Ozier O, Schwikowski B, Siegel AF (2002) Discovering regulatory and signalling circuits in molecular interaction networks. *Bioinformatics* 18: S233–S240.
 54. König R, Zhou Y, Elleder D, Diamond TL, Bonamy GMC, et al. (2008) Global analysis of host-pathogen interactions that regulate early-stage HIV-1 replication. *Cell* 135: 49–60.
 55. Dittrich M, Klau G, Rosenwald A, Dandekar T, Müller T (2008) Identifying functional modules in protein-protein interaction networks: an integrated exact approach. *Bioinformatics* 24: i223.
 56. Bankhead A, Sach I, Ni C, LeMeur N, Kruger M, et al. (2009) Knowledge based identification of essential signaling from genome-scale siRNA experiments. *BMC Systems Biology* 3: 80.
 57. Tu ZCA, Wong K, Mitaul L, Edwards S, Sach I, et al. (2009) Integrating siRNA and protein-protein interaction data to identify an expanded insulin signaling network. *Genome Res* 19: 1057.
 58. Aerts S, Lambrechts D, Maity S, Van Loo P, Coessens B, et al. (2006) Gene prioritization through genomic data fusion. *Nat Biotech* 24: 537–544.
 59. Rung J, Schlitt T, Brazma A, Freivalds K, Vilo J (2002) Building and analysing genome-wide gene disruption networks. *Bioinformatics* 18: 202–210.
 60. Aho AV, Garey MR, Ullman JD (1972) The transitive reduction of a directed graph. *SIAM J Sci Comput* 1: 131–137.
 61. Wagner A (2001) How to reconstruct a large genetic network from n gene perturbations in fewer than n^2 easy steps. *Bioinformatics* 17: 1183–1197.
 62. Tresch A, Beissbarth T, Sültmann H, Kuner R, Poustka A, et al. (2007) Discrimination of direct and indirect interactions in a network of regulatory effects. *J Comput Biol* 14: 1217–1228.
 63. Kaderali L, Dazert E, Zeuge U, Frese M, Bartenschlager R (2009) Reconstructing signaling pathways from RNAi data using probabilistic boolean threshold networks. *Bioinformatics* 25: 2229–2235.
 64. Friedman N (2004) Inferring cellular networks using probabilistic graphical models. *Science* 303: 799–805.
 65. Markowetz F, Spang R (2007) Inferring cellular networks—a review. *BMC Bioinformatics* 8: S5.
 66. Pearl J (2000) *Causality: models, reasoning and inference*. Cambridge: Cambridge University Press.
 67. Ellis B, Wong WH (2008) Learning causal bayesian network structures from experimental data. *J Am Stat Assoc* 103: 778–789.
 68. Peer D, Regev A, Elidan G, Friedman N (2001) Inferring subnetworks from perturbed expression profiles. *Bioinformatics* 17: 215–224.
 69. Gat-Viks I, Tanay A, Rajman D, Shamir R (2006) A probabilistic methodology for integrating knowledge and experiments on biological networks. *J Comput Biol* 13: 165–181.
 70. Rogers S, Girolami M (2005) A Bayesian regression approach to the inference of regulatory networks from gene expression data. *Bioinformatics* 21: 3131–3137.
 71. Werhli AV, Grzegorzczak M, Husmeier D (2006) Comparative evaluation of reverse engineering gene regulatory networks with relevance networks, graphical Gaussian models and Bayesian networks. *Bioinformatics* 22: 2523–2531.
 72. Zak DE, Gonye GE, Schwaber JS, Doyle FJ (2003) Importance of input perturbations and stochastic gene expression in the reverse engineering of genetic regulatory networks: insights from an identifiability analysis of an in silico network. *Genome Res* 13: 2396–2405.
 73. Markowetz F, Grossmann S, Spang R (2005) Probabilistic soft interventions in conditional gaussian networks. In: *Proceedings of the Tenth International Workshop on Artificial Intelligence and Statistics (AISTATS)*; 6–8 January 2005; Barbados. Available: <http://www.gatsby.ucl.ac.uk/aistats/>.
 74. Ulitsky I, Shamir R (2007) Identification of functional modules using network topology and high-throughput data. *BMC Syst Biol* 1: 8.
 75. Yeang CH, Ideker T, Jaakkola T (2004) Physical network models. *J Comput Biol* 11: 243–262.
 76. Yeang CH, Mak HC, McCuine S, Workman C, Jaakkola T, et al. (2005) Validation and refinement of gene-regulatory pathways on a network of physical interactions. *Genome Biol* 6: R62.
 77. Ourfali O, Shlomi T, Ideker T, Ruppin E, Sharan R (2007) SPINE: a framework for signaling-regulatory pathway inference from cause-effect experiments. *Bioinformatics* 23: i359–66.
 78. Ljung L (1986) *System identification: theory for the user*. Englewood Cliffs (New Jersey): Prentice Hall.
 79. Tegner J, Yeung MKS, Hasty J, Collins JJ (2003) Reverse engineering gene networks: integrating genetic perturbations with dynamical modeling. *Proc Natl Acad Sci U S A* 100: 5944–5949.
 80. Gardner TS, di Bernardo D, Lorenz D, Collins JJ (2003) Inferring genetic networks and identifying compound mode of action via expression profiling. *Science* 301: 102–105.
 81. Xiong M, Li J, Fang X (2004) Identification of genetic networks. *Genetics* 166: 1037–1052.
 82. di Bernardo D, Thompson MJ, Gardner TS, Chobot SE, Eastwood EL, et al. (2005) Chemogenomic profiling on a genome-wide scale using reverse-engineered gene networks. *Nat Biotechnol* 23: 377–383.
 83. Lorenz DR, Cantor CR, Collins JJ (2009) A network biology approach to aging in yeast. *Proc Natl Acad Sci U S A* 106: 1145.
 84. Nelander S, Wang W, Nilsson B, She QB, Pratilas C, et al. (2008) Models from experiments: combinatorial drug perturbations of cancer cells. *Mol Syst Biol* 4: 216.
 85. Markowetz F, Kostka D, Troyanskaya O, Spang R (2007) Nested effects models for high-dimensional phenotyping screens. *Bioinformatics* 23: 305–312.
 86. Fröhlich H, Fellmann M, Suelmann H, Poustka A, Beissbarth T (2007) Large scale statistical inference of signaling pathways from RNAi and microarray data. *BMC Bioinformatics* 8: 386.
 87. Tresch A, Markowetz F (2008) Structure learning in nested effects models. *Stat Appl Genet Mol Biol* 7: Article 9.
 88. Fröhlich H, Fellmann M, Sültmann H, Poustka A, Beissbarth T (2008) Estimating large scale signaling networks through nested effect models with intervention effects from microarray data. *Bioinformatics* 24: 2650–2656.
 89. Fröhlich H, Tresch A, Beißbarth T (2009) Nested effects models for learning signaling networks from perturbation data. *Biom J* 51: 304–323.
 90. Fröhlich H, Beißbarth T, Tresch A, Kostka D, Jacob J, et al. (2008) Analyzing gene perturbation screens with nested effects models in R and Bioconductor. *Bioinformatics* 24: 2549–2550.
 91. Vaske CJ, House C, Luu T, Frank B, Yeang CH, et al. (2009) A factor graph nested effects model to identify networks from genetic perturbations. *PLoS Comput Biol* 5: e1000274. doi:10.1371/journal.pcbi.1000274.
 92. Anchang B, Sadeh M, Jacob J, Tresch A, Vlad M, et al. (2009) Modeling the temporal interplay of molecular signaling and gene expression by using dynamic nested effects models. *Proc Natl Acad Sci U S A* 106: 6447.
 93. Sopko R, Huang D, Preston N, Chua G, Papp B, et al. (2006) Mapping pathways and phenotypes by systematic gene overexpression. *Mol Cell* 21: 319–330.
 94. Stokic D, Hanel R, Thurner S (2009) A fast and efficient gene-network reconstruction method from multiple over-expression experiments. *BMC Bioinformatics* 10: 253.
 95. Yosef N, Kaufman A, Ruppin E (2006) Inferring functional pathways from multi-perturbation data. *Bioinformatics* 22: e539.
 96. MacCarthy T, Pomiankowski A, Seymour R (2005) Using large-scale perturbations in gene network reconstruction. *BMC Bioinformatics* 6: 11.
 97. Rockman M (2008) Reverse engineering the genotype-phenotype map with natural genetic variation. *Nature* 456: 738–744.
 98. Herrgard MJ, Swainston N, Dobson P, Dunn WB, Arga KY, et al. (2008) A consensus yeast metabolic network reconstruction obtained from a community approach to systems biology. *Nat Biotechnol* 26: 1155–1160.
 99. Duarte NC, Becker SA, Jamshidi N, Thiele I, Mo ML, et al. (2007) Global reconstruction of the human metabolic network based on genomic

and bibliomic data. *Proc Natl Acad Sci U S A* 104: 1777–1782.

100. Papp B, Pál C, Hurst LD (2004) Metabolic network analysis of the causes and evolution of enzyme dispensability in yeast. *Nature* 429: 661–664.
101. Fong SS, Palsson BO (2004) Metabolic gene-deletion strains of *escherichia coli* evolve to computationally predicted growth phenotypes. *Nat Genet* 36: 1056–1058.
102. Motter A, Gulbahce N, Almaas E, Barabasi AL (2008) Predicting synthetic rescues in metabolic networks. *Mol Sys Bio* 4: 168.
103. Shlomi T, Cabili MN, Herrgård MJ, Palsson BO, Ruppin E (2008) Network-based prediction of human tissue-specific metabolism. *Nat Biotechnol* 26: 1003–1010.
104. Becker SA, Palsson BO (2008) Context-specific metabolic networks are consistent with experiments. *PLoS Comput Biol* 4: e1000082. doi:10.1371/journal.pcbi.1000082.
105. Deutscher D, Meilijson I, Schuster S, Ruppin E (2008) Can single knockouts accurately single out gene functions? *BMC Systems Biology* 2: 50.
106. Gitter A, Siegfried Z, Klutstein M, Fornes O, Oliva B, et al. (2009) Backup in gene regulatory networks explains differences between binding and knockout results. *Mol Syst Biol* 5: 276.
107. Tong AHY, Lesage G, Bader GD, Ding H, Xu H, et al. (2004) Global mapping of the yeast genetic interaction network. *Science* 303: 808–813.
108. Pournara I, Wernisch L (2004) Reconstruction of gene networks using Bayesian learning and manipulation experiments. *Bioinformatics* 20: 2934–2942.
109. Yoo C, Cooper GF (2004) An evaluation of a system that recommends microarray experiments to perform to discover gene-regulation pathways. *Artif Intell Med* 31: 169–182.
110. Szczurek E, Gat-Viks I, Tiuryn J, Vingron M (2009) Elucidating regulatory mechanisms downstream of a signaling pathway using informative experiments. *Mol Syst Biol* 5: 287.
111. Ideker TE, Thorsson V, Karp RM (2000) Discovery of regulatory interactions through perturbation: inference and experimental design. *Pac Symp Biocomput*. pp 305–316.
112. Gentleman RC, Carey VJ, Bates DM, Bolstad B, Dettling M, et al. (2004) Bioconductor: open software development for computational biology and bioinformatics. *Genome Biol* 5: R80.
113. Shannon P, Markiel A, Ozier O, Baliga NS, Wang JT, et al. (2003) Cytoscape: a software environment for integrated models of biomolecular interaction networks. *Genome Res* 13: 2498–2504.